	Hits	Search Text	DBs
1	1	link.in. and davidescu.in.	US-PGPUB; USPAT
2	337	"dump mode"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	59	"dump mode" and memory and test$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	12	"dump mode" and memory near3 test$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	5090	713/164-165,193,200;714/718,763,807.ccls.	US-PGPUB; USPAT
6	2	713/164-165,193,200;714/718,763,807.ccls. and "dump mode"	US-PGPUB; USPAT
7	26	"5058164".URPN.	USPAT
8	2	("4087626" | "4157454").PN.	USPAT
9	60	"dump mode" and ((memory or data) near5 (access or protect$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	74	("dump mode" or "memory dump" or "rom dump" or "eprom mode") and (checksum or crc or singature or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	1	"dump attack" with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	404	713/193.ccls.	USPAT

	Hits	Search Text	DBs
13	0	713/193.ccls. and ((stop$3 or prevent$3) near3 (intermediate near2 (result or output or signal or value)))	USPAT
14	109	(checksum or crc) with (intermediate near2 (result or output or signal or value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	35664	(protect$3 near3 (data or memory))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	6606	((protect$3 near3 (data or memory))) and (crc or checksum or signature or mac)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	50	((protect$3 near3 (data or memory))) and ((prevent$3 or inhibit$3 or allow$3) near5 ((intermediate or cumulative) near2 (result$1 or value$1 or output$1 or signal$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	0	713/164-165,193,200;714/718,763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode") with (checksum or crc or singature or hash)	US-PGPUB; USPAT
19	16	713/164-165,193,200;714/718,763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode")	US-PGPUB; USPAT
20	0	"6230291".URPN.	USPAT
21	3	("5506396" | "5534786" | "6006345").PN.	USPAT

	Hits	Search Text	DBs
22	1	dump near5 attack with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
23	5090	713/164-165,193,200;714/718,763,807.ccls.	US-PGPUB; USPAT
24	22	713/164-165,193,200;714/718,763,807.ccls. and ($2rom near5 (checksum or crc))	US-PGPUB; USPAT
25	5090	713/164-165,193,200;714/718,763,807.ccls.	US-PGPUB; USPAT
26	3	713/164-165,193,200;714/718,763,807.ccls. and (($3rom near3 scan) same (checksum or crc))	US-PGPUB; USPAT
27	1	("5022077").PN.	USPAT; USOCR
28	243	(bios near2 rom) with (checksum or crc or sign$5 or hash$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
29	16	((bios near2 rom) with (checksum or crc or sign$5 or hash$3)) not signal$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
30	1	("6411941").PN.	USPAT; USOCR
31	1	("5421006").PN.	USPAT; USOCR
32	7	((checksum or crc) with rom) and samsung	US-PGPUB; USPAT
33	69	(microcontroller$1 near2 (advantage$1 or benefit$1)) and @ad<"20001127"	USPAT

	Hits	Search Text	DBs
34	25	("4211919" | "4499556" | "4521853" | "4590552" | "4698750" | "4958276" | "5012410" | "5014191" | "5067077" | "5134700" | "5168559" | "5210841" | "5247621" | "5251304" | "5278962" | "5305460" | "5355466" | "5379443" | "5396609" | "5404450" | "5404547" | "5432950" | "5446864" | "5557743" | "5581763").PN.	USPAT
35	15342	reset near5 latch$3	USPAT
36	2318	reset near3 latch$3 near6 gate and @ad<"20001127"	USPAT
37	70	(reset near3 latch$3 near6 gate) and ((software or data) near2 protect$3)	USPAT
38	1230	(reset near (circuit or means)) with latch	USPAT
39	19	((reset near (circuit or means)) with latch) and ((software or data) near2 protect$3) and @ad<"20001127"	USPAT
40	2	reverse$1engineer$3 with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
41	26	((reverse$1engineer$3 or trac$3) near2 (program or code)) with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
42	2	((reverse$1engineer$3 or trace or tracing) near2 (program or code)) with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
43	200	((verif$7 or authentic$5) near2 (program or code)) with hash$3	USPAT

	Hits	Search Text	DBs
44	2	("5787367" | "5844986").PN.	USPAT
45	136	((device or system) near2 reset$3) with exit$3	USPAT
46	13	((device or system) near2 reset$3) with (exit$3 near3 (routine or module or execut$3))	USPAT
47	1	link.in. and davidescu.in.	US-PGPUB; USPAT
48	14	"dump mode" and memory near3 test$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
49	2	713/164-165,193,200;714/718,763,807.ccls. and "dump mode"	US-PGPUB; USPAT
50	32	"5058164".URPN.	USPAT
51	63	"dump mode" and ((memory or data) near5 (access or protect$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
52	82	("dump mode" or "memory dump" or "rom dump" or "eprom mode") and (checksum or crc or singature or hash)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
53	1	"dump attack" with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
54	1	713/193.ccls. and ((stop$3 or prevent$3) near3 (intermediate near2 (result or output or signal or value)))	USPAT
55	72	((protect$3 near3 (data or memory))) and ((prevent$3 or inhibit$3 or allow$3) near5 ((intermediate or cumulative) near2 (result$1 or value$1 or output$1 or signal$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
56	0	713/164-165,193,200;714/718,763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode") with (checksum or crc or singature or hash)	US-PGPUB; USPAT
57	17	713/164-165,193,200;714/718,763,807.ccls. and ("dump mode" or "memory dump" or "rom dump" or "eprom mode")	US-PGPUB; USPAT
58	0	"6230291".URPN.	USPAT
59	1	dump near5 attack with memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
60	24	713/164-165,193,200;714/718,763,807.ccls. and ($2rom near5 (checksum or crc))	US-PGPUB; USPAT
61	3	713/164-165,193,200;714/718,763,807.ccls. and (($3rom near3 scan) same (checksum or crc))	US-PGPUB; USPAT
62	18	((bios near2 rom) with (checksum or crc or sign$5 or hash$3)) not signal$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
63	9	((checksum or crc) with rom) and samsung	US-PGPUB; USPAT
64	70	(microcontroller$1 near2 (advantage$1 or benefit$1)) and @ad<"20001127"	USPAT
65	70	(reset near3 latch$3 near6 gate) and ((software or data) near2 protect$3)	USPAT
66	19	((reset near (circuit or means)) with latch) and ((software or data) near2 protect$3) and @ad<"20001127"	USPAT

	Hits	Search Text	DBs
67	2	reverse$1engineer$3 with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
68	2	((reverse$1engineer$3 or trace or tracing) near2 (program or code)) with (checksum or crc)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
69	13	((device or system) near2 reset$3) with (exit$3 near3 (routine or module or execut$3))	USPAT
70	2093	711/154,156,163-164,166.ccls. and (@ad<"20001127" or @rlad<"20001127")	USPAT
71	0	S176 and ((dumb near2 mode) with (checksum or crc or hash))	USPAT
72	188	S176 and ((dumb near2 mode) or checksum or crc or hash)	USPAT
73	10	("4734568" | "4811291" | "4813024" | "4864541" | "5432950" | "5465349" | "5467396" | "5517569" | "5815577" | "6061280").PN.	US-PGPUB; USPAT; USOCR
74	18	("4467444" | "4584665" | "4698750" | "5099516" | "5101498" | "5144659" | "5175840" | "5191608" | "5224166" | "5251304" | "5255244" | "5282247" | "5349249" | "5351216" | "5379433" | "5386469" | "5388157" | "5396609").PN.	US-PGPUB; USPAT; USOCR
75	6	("5860099").URPN.	USPAT

	Hits	Search Text	DBs
76	3805784	($5controller$1 or $5processor$1 or semi$1conductor$1 or chip$1 or "ic card")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
77	3	S182 and (($3rom or non$1volatile) near4 (software or information or code or content or microcode) near2 (sensitive or proprietary)) and ((illicit or unauthorized or illegal) near2 (access or read))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
78	0	(dumb near2 (mode or memory)) same ((intermediate or partial) near2 (checksum or crc))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
79	11	(checksum or crc) same ((prevent$3 or stop$3 or allow$3) near3 (reconstruct$3 or reconstitut$3 or deduc$3 or trac$3) near3 (data or content or byte or code or software or microcode or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
80	0	(dumb near2 (memory or mode)) same ((prevent$3 or stop$3) near3 (reconstruct$3 or reconstitut$3 or deduc$3 or trac$3) near3 (data or content or byte or code or software or microcode or information))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB